

Digital horizontal autoclave Type AH

Raypa

Digital horizontal autoclave Type AH

This autoclave is microprocessor controlled and monitored with 10 sterilisation programmes of which 4 are fixed and 6 are freely selectable and has bacteriological filters included by default.

- -Operating temperature range 100 °C to 134 °C
- -On request, also available with B Class
- -RS 232 interface
- -Fully automatic functions
- -With water reservoir, pre-vacuum and drying
- -Case and lid shrouding are AISI 304 stainless steel
- -Sterilisation chamber, lid and sealing system are AISI 316 stainless steel
- -Electrical heating with protected heating elements
- -Safety pressure valve
- -Safety thermostat
- -Automatic steam controlled by Touch Screen microprocessor
- -Manual valves for emptying the sterilisation chamber and for draining steam
- -Equipped with mesh stand on the chamber base and trays
- -Supply requirements: 230 V 16 A single phase





Code	Description	Packaging
LLG09851898	Digital horizontal autoclave AH-21 L, 21 Litres	1 pz.
LLG06267579	Digital horizontal autoclave AHS-50 DRY, 50 Litres	1 pz.
LLG09851888	Digital horizontal autoclave AHS-75 DRY, 75 Litres	1 pz
LLG09851888	Digital horizontal autoclave AHS-75 DRY, 75 Litres	1 pz



CARLO ERBA Reagents S.A.S. Chaussée du Vexin – 27106 Val de Reuil cedex

N° TVA: FR 63391048824 Tél : +33 (0)2 32 09 20 00 www.carloerbareagents.com



CARLO ERBA Reagents operates with a Certified Quality Management System

