Conductivity meter Seven2Go S3

Mettler-Toledo Online

Conductivity meter Seven2Goä S3
Portable routine model for conductivity measurement.

-New, intuitive menu structure with fast and easy T-Pad navigation
-Robust design with IP67 protection for use in harsh and demanding environments
-Intelligent Sensor Management (ISM®) functionality reduces the risk of errors
-Easy 1 point calibration with option of manual cell constant entry
-3 predefined standards and 1 user defined standard
-Automatic, manual and time dependant endpoint recording
-Data memory storage for 200 data points
-Power requirements: 4 x 1.5 V AA or 1.3 V NiMH accumulators

Scope of supply:
S3-Meter: Includes instrument, electrode clip, operating instructions, quick guide, test certificate, declaration of conformity, batteries
S3-Standard kit: As S3-Meter, but also with InLab 738-ISM and sachets of conductivity standards 1413 µS/cm and 12.88 mS/cm
S3-Field kit: As S3-Standard kit, but also with bottles for calibration, uGoä carrying case
S3-Bioethanol kit: As S3-Field kit, but also with InLab 725 instead of InLab 738-ISM

Conductivity

Measuring range:	0.010 µS/cm ¼ 500 mS/cm
Resolution:	0.001 ... 1 (auto-range)
Accuracy:	± 0.5%

Temperature

Measuring range:	-5.0 ... 105.0 °C
Resolution:	0.1 °C
Accuracy:	±0.2 °C

TDS (Total Dissolved Solids)
Measuring range:
Resolution:
Accuracy:
0.01 mg/l ... 300 g/l
0.01 ... 1 (auto-range)
±0.5 %
Specific resistance
Measuring range:
0.01 ... 100.0 MWcm
Salinity
Measuring range:
0.01 ... 42 psu

Code	Description	Packaging
LLG06265247	Conductivity meter Seven2Go S3, Type S3-Meter	1 pz
LLG06265248	Conductivity meter Seven2Go S3, Type S3-Standard kit	1 pz
LLG06265249	Conductivity meter Seven2Go S3, Type S3-Field kit	1 pz
LLG06265250	Conductivity meter Seven2Go S3, Type S3-Bioethanol kit	1 pz

CARLO ERBA Reagents S.A.S.
Chaussée du Vexin – 27106 Val de Reuil cedex
N° TVA: FR 63391048824
Tél : +33 (0)2 32 09 20 00
www.carloerbareagents.com

CARLO ERBA Reagents operates with a Certified Quality Management System