

**Dissolved oxygen meter Seven2Go S4**

Mettler-Toledo Online

Dissolved oxygen meter Seven2Goä S4

Portable routine model for dissolved oxygen measurement.

- New, intuitive menu structure with fast and easy T-Pad navigation
- Robust design with IP67 protection for use in harsh and demanding environments
- Intelligent Sensor Management (ISM®) functionality reduces the risk of errors
- Up to 2 calibration points and a choice of 2 predefined oxygen standards
- Automatic, manual and time dependant endpoint recording
- Data memory storage for 200 data points
- Power requirements: 4 x 1.5 V AA or 1.3 V NiMH accumulators

Supplied with:

S4-Meter: Includes instrument, electrode clip, operating instructions, quick guide, test certificate, declaration of conformity, batteries

S4-Standard kit: As S4-Meter, but also with InLab 605-ISM and zero oxygen tablets

S4-Field kit: As S4-Standard kit, but also with bottles for calibration, uGoä carrying case

Specifications

Measuring range (O2 Saturation):

Resolution:

Accuracy: 0.1 ... 600.0%

0.1

±10%

Measuring range (Temperature):

Resolution:

Accuracy: 0.0 ... 60.0°C

0.1°C

±0.2°C

Measuring range (O2 concentration): 0.01 ... 99.99 mg/l (ppm)

Accuracy (display): ±0.2 mg/l in range 0 ... 15 mg/l



±10% in range 15 ... 60 mg/l

Measuring range (Pressure):

Resolution:

Accuracy: 500 ... 1100 mbar

1

±2%

Dimensions (W x D x H): 222 x 70 x 35 mm

Code	Description	Packaging
LLG06265253	Dissolved oxygen meter Seven2Go S4, Type S4-Field kit	1 pz.
LLG06265251	Dissolved oxygen meter Seven2Go S4, Type S4-Meter	1 pz.
LLG06265252	Dissolved oxygen meter Seven2Go S4, Type S4-Standard kit	1 pz.





CARLO ERBA Reagents S.A.S.
Chaussée du Vexin – 27106 Val
de Reuil cedex
N° TVA: FR 63391048824
Tél : +33 (0)2 32 09 20 00
www.carloerbareagents.com



*CARLO ERBA
Reagents operates with
a Certified Quality
Management System*

