



Dissolved oxygen meter Seven2Go pro S9

Mettler-Toledo Online

Dissolved oxygen meter Seven2Goä pro S9

Portable professional model for dissolved oxygen measurement.

- New, intuitive menu structure with fast and easy T-Pad navigation
- Robust design with IP67 protection for use in harsh and demanding environments
- Intelligent Sensor Management (ISM®) functionality reduces the risk of errors
- New sunlight-proof screen guarantees screen readability even in direct sunlight
- New StatusLight gives a fast, visual confirmation showing if the meter is ready to measure or not
- Operating support for 12 languages with information shown in complete words and sentence
- Up to 2 calibration points and a choice of 2 predefined oxygen standards
- Automatic, manual and time dependant endpoint recording
- Data memory storage for 2000 GLP data points with weatherproof Micro-USB connection for data export
- Power requirements: 4 x 1.5 V AA or 1.3 V NiMH accumulators

Scope of supply:

S9-Meter: Includes instrument, LabX® direct pH, USB cable, electrode clip, base accessory, operating instructions, quick guide, test certificate, declaration of conformity, batteries

S9-Standard kit: As S9-Meter, but also with InLab® OptiOxä, zero oxygen tablets

S9-Field kit: As S9-Standard kit, but also with bottles for calibration, uGoä carrying case, InLab® OptiOxä with protective guard

S9-BOD kit: As S9-Field kit, but including InLab® OptiOxä (without protective guard), BOD adapter, BOD application note

Specifications**DO Saturation****Measuring range:**

Resolution:

Accuracy:

0.1 ... 500.0%

0.1

±10%

Temperature**Measuring range:**

Resolution:

Accuracy:

0.0 ... 50.0°C

0.1°C

±0.1°C



Dissolved Oxygen**Measuring range:****Resolution:** 0.01 ... 50.00mg/l (ppm)**0.01****Accuracy:** ± 0.1 mg/l in range 0 ... 8mg/l ± 0.2 mg/l in range 8 ... 20mg/l $\pm 10\%$ in range 20 ... 50mg/l**Pressure****Measuring range:****Resolution:****Accuracy:**

500 ... 1100mbar

1 $\pm 2\%$ **Dimensions (W x D x H):** 222 x 70 x 35mm

Code	Description	Packaging
LLG06265266	Dissolved oxygen meter Seven2Go pro S9, Type S9-BOD kit	1 pz.
LLG06265265	Dissolved oxygen meter Seven2Go pro S9, Type S9-Field kit	1 pz.
LLG06265263	Dissolved oxygen meter Seven2Go pro S9, Type S9-Meter	1 pz.



Code	Description	Packaging
LLG06265264	Dissolved oxygen meter Seven2Go pro S9, Type S9-Standard kit	1 pz.



CARLO ERBA Reagents S.A.S.
 Chaussée du Vexin – 27106 Val
 de Reuil cedex
 N° TVA: FR 63391048824
 Tél : +33 (0)2 32 09 20 00
www.carloerbareagents.com



CARLO ERBA
*Reagents operates with
 a Certified Quality
 Management System*

