

**Filter bags Whirl-Pak, PE, sterile****Nasco****Filter bags Whirl-Pak®, PE, sterile**

All the bags use the same filter material. These special bags contain a third layer of finely perforated polyethylene, which filters out the solids in the sample when used in a homogeniser blender. This allows for easy pipetting of the sample. The hole diameter in the filter layer measures 0.33 mm and there are 285 holes per square cm. The filter is sealed into the perimeter of the bag on the sides and bottom, allowing the sample to be placed in the bag on either side. The liquid will transfer through the filter, but the solids stay on one side. With write-on label. Temperature range: -210 to 82 °C.



Code	Description	Packaging
LLG07970783	Filter bags Whirl-Pak®, PE, sterile, Nominal capacity 710 ml	250 pz.
LLG06263368	Filter bags Whirl-Pak®, PE, sterile, Nominal capacity 1627 ml	250 pz.



**CARLO ERBA Reagents S.A.S.**  
 Chaussée du Vexin – 27106 Val  
 de Reuil cedex  
 N° TVA: FR 63391048824  
 Tél : +33 (0)2 32 09 20 00  
[www.carloerbareagents.com](http://www.carloerbareagents.com)



**CARLO ERBA**  
*Reagents operates with  
 a Certified Quality  
 Management System*

