



ASTM-Thermometers ACCU-SAFE, stem type

ASTM-Thermometers ACCU-SAFE, stem type

High precision and mercury free. ASTM-Thermometers with blue, environmental safety filling, suitable for calibration. With DAkkS-calibration or works-calibration certificate on request.

Further types available on request, also in °F.



Code	Description	Packaging
LLG09236852	ASTM precision thermometer S12C -20...+	1 pz.
LLG09236854	ASTM precision thermometer S15C -2...+8	1 pz.
LLG09236856	ASTM precision thermometer S18C +34../1	1 pz.
LLG09236868	ASTM precision thermometer S63C -8...+3	1 pz.
LLG09236870	ASTM precision thermometer S64C +25...+	1 pz.
LLG09236872	ASTM precision thermometer S65C +50...+	1 pz.
LLG09236874	ASTM precision thermometer S66C +75...+	1 pz.
LLG09236876	ASTM precision thermometer S67C +95...+	1 pz.
LLG09236879	ASTM precision thermometer S116C +18.9.	1 pz.
LLG09236880	ASTM precision thermometer S117C +23.9.	1 pz.
LLG09236881	ASTM precision thermometer S120C +38.6.	1 pz.
LLG09236860	ASTM precision thermometer S56C +19...+	1 pz.
LLG09236850	ASTM precision thermometer S5C -38...+5	1 pz.
LLG09236858	ASTM precision thermometer S22C +95...+	1 pz.
LLG09236862	ASTM precision thermometer S58C -34...+	1 pz.
LLG09236866	ASTM precision thermometer S62C -38...+	1 pz.
LLG09236882	ASTM precision thermometer S130C -7...+	1 pz.
LLG09236864	ASTM precision thermometer S59C -18...+	1 pz.





CARLO ERBA Reagents S.A.S.
Chaussée du Vexin – 27106 Val
de Reuil cedex
N° TVA: FR 63391048824
Tél : +33 (0)2 32 09 20 00
www.carloerbareagents.com



*CARLO ERBA
Reagents operates with
a Certified Quality
Management System*

