



Heated Circulating Baths with Standard Digital (SD) Temperature Controller

The circulators are available in 4 bath sizes combined with 4 different temperature controllers. The large, 180° freely rotatable display Swivel 180° allows good visibility and control of the values set from different angles.

- Reservoir sizes ranging from 7 liters to 75 liters
- Pressure and suction pump (selected models)
- LidDockä lid holder
- DuraTopä, precision-molded phenolic bath top resists laboratory chemicals
- WhisperCool® Environmental Control System
- Cool Commandä refrigeration system
- Washable air filter
- Large bath opening and drain
- Easy hook-up of fluid connections
- Intuitive setup and operation, featuring multi-language help and screen prompts
- Simplified setup and maintenance
- Over-temperature protection
- Safety classes, according to DIN 12876-1 Class III standards for use with flammable liquids (selected models)

- Working Temperature: Ambient +10° to 170 °C
- Temperature Stability: ± 0.04 °C
- Large, universal icon and English display
- Swivel 180° Rotating Controller
- Pressure Pump with two speeds
- Pump pressure max. 2.9 psi (0.20 bar)
- On-board connectivity: RS-232 serial output
- On-screen prompts
- Automatic performance optimization
- Single-point calibration capability



Code	Description	Packaging
LLG04658628	Heated Circulating Baths with Standard Digital (SD) Temperature Controller, Bath capacity 7 L	1 pz.
LLG04658631	Heated Circulating Baths with Standard Digital (SD) Temperature Controller, Bath capacity 15 L	1 pz.
LLG04658634	Heated Circulating Baths with Standard Digital (SD) Temperature Controller, Bath capacity 20 L	1 pz.
LLG04658638	Heated Circulating Baths with Standard Digital (SD) Temperature Controller, Bath capacity 28 L	1 pz.



CARLO ERBA Reagents S.A.S.
 Chaussée du Vexin – 27106 Val
 de Reuil cedex
 N° TVA: FR 63391048824
 Tél : +33 (0)2 32 09 20 00
www.carloerbareagents.com



CARLO ERBA
*Reagents operates with
 a Certified Quality
 Management System*

