



Measuring instrument for viscosity analysis ViscoClock plus

SI Analytics

Measuring instrument for viscosity analysis ViscoClock plus

The ViscoClock plus is an electronic timing unit for glass capillary viscometers used to determine kinematic and relative viscosity. Succeeding the well-proven ViscoClock, the new instrument features data storage and simpler handling. The ViscoClock plus is designed for SI Analytics Ubbelohde (DIN; ASTM; Micro) and Micro Ostwald viscometers. To determine absolute kinematic viscosities, viscometers have to be used which are calibrated for automatic measurements. The ViscoClock plus automatically measures the flow time of temperature-stabilized liquids in capillary viscometers by means of infrared light barriers. The viscometer including a sample is inserted into the ViscoClock plus and immersed into a thermostatic bath for temperature stabilization. After thermostating, the sample is pumped into the measuring bulb, and the flow time is detected automatically. The large display enables easy read-off of flow times and additional information: date, time, sample ID and viscometer ID. The ViscoClock plus can be used in all SI Analytics bath types.



ViscoClock plus: Electronic timing unit for glass capillary viscometers, power supply 100-230 V, manual pump

ViscoClock plus M1: Device incl. thermostatic bath for temperatures from 10 to 60 °C

ViscoClock plus M2: Device incl. thermostatic bath for temperatures from -40 to 150 °C

Specifications

Measuring range: Up to 999.99 secs. / resolution 0.01 sec.

Timing accuracy: ±0.01 sec. ±1 digit

Measuring range viscosity: 0.35 to 10000 mm²/sec. (cSt)

USB interface: For connecting an USB stick or a printer (TZ 3863)

Operating temperature: Stand: -40 to +150 °C

Electronic measuring unit: +10 to +40 °C

Dimensions (W x D x H): approx. 90 x 30 x 515 mm

Weight: approx. 450 g (without viscometer)



Power pack approx. 220 g

Code	Description	Packaging
LLG06285151	Measuring instrument for viscosity analysis ViscoClock plus, Type ViscoClock plus	1 pz.
LLG06272223	Measuring instrument for viscosity analysis ViscoClock plus, Type ViscoClock plus M1, 115 V	
LLG06272199	Measuring instrument for viscosity analysis ViscoClock plus, Type ViscoClock plus M1, 230 V	1 pz.
LLG06272225	Measuring instrument for viscosity analysis ViscoClock plus, Type ViscoClock plus M2, 115 V	



Code	Description	Packaging
LLG06272224	Measuring instrument for viscosity analysis ViscoClock plus, Type ViscoClock plus M2, 230 V	1 pz.



CARLO ERBA Reagents S.A.S.
 Chaussée du Vexin – 27106 Val
 de Reuil cedex
 N° TVA: FR 63391048824
 Tél : +33 (0)2 32 09 20 00
www.carloerbareagents.com



CARLO ERBA
*Reagents operates with
 a Certified Quality
 Management System*

