



Cellulose-Extraction thimbles Grade 603

Whatman

Cellulose-Extraction thimbles Grade 603

Manufactured in pure cellulose according to DIN 12449.



Code	Description	Packaging
LLG09043901	Cellulose-Extraction thimbles Grade 603, Int. diam. 22 mm, Length 80 mm, Wall thickness 1.5 mm	25 pz.
LLG09043902	Cellulose-Extraction thimbles Grade 603, Int. diam. 25 mm, Length 100 mm, Wall thickness 1.5 mm	25 pz.
LLG09043909	Cellulose-Extraction thimbles Grade 603, Int. diam. 25 mm, Length 80 mm, Wall thickness 1.5 mm	25 pz.
LLG09043910	Cellulose-Extraction thimbles Grade 603, Int. diam. 26 mm, Length 60 mm, Wall thickness 1.5 mm	25 pz.
LLG09043912	Cellulose-Extraction thimbles Grade 603, Int. diam. 28 mm, Length 60 mm, Wall thickness 1.5 mm	
LLG09043921	Cellulose-Extraction thimbles Grade 603, Int. diam. 31 mm, Length 80 mm, Wall thickness 1.0 mm	
LLG09043903	Cellulose-Extraction thimbles Grade 603, Int. diam. 33 mm, Length 94 mm, Wall thickness 1.5 mm	25 pz.
LLG09043904	Cellulose-Extraction thimbles Grade 603, Int. diam. 33 mm, Length 118 mm, Wall thickness 1.5 mm	25 pz.
LLG09043907	Cellulose-Extraction thimbles Grade 603, Int. diam. 33 mm, Length 80 mm, Wall thickness 1.5 mm	25 pz.
LLG09043911	Cellulose-Extraction thimbles Grade 603, Int. diam. 33 mm, Length 90 mm, Wall thickness 1.5 mm	25 pz.
LLG09043913	Cellulose-Extraction thimbles Grade 603, Int. diam. 33 mm, Length 60 mm, Wall thickness 1.5 mm	25 pz.
LLG09043916	Cellulose-Extraction thimbles Grade 603, Int. diam. 33 mm, Length 100 mm, Wall thickness 1.5 mm	25 pz.
LLG09043917	Cellulose-Extraction thimbles Grade 603, Int. diam. 33 mm, Length 130 mm, Wall thickness 1.5 mm	25 pz.
LLG09043905	Cellulose-Extraction thimbles Grade 603, Int. diam. 33 mm, Length 205 mm, Wall thickness 1.5 mm	25 pz.
LLG09043915	Cellulose-Extraction thimbles Grade 603, Int. diam. 35 mm, Length 150 mm, Wall thickness 1.5 mm	25 pz.
LLG09043918	Cellulose-Extraction thimbles Grade 603, Int. diam. 40 mm, Length 85 mm, Wall thickness 2.0 mm	25 pz.
LLG09043950	Cellulose-Extraction thimbles Grade 603, Int. diam. 43 mm, Length 123 mm, Wall thickness 2.0 mm	25 pz.
LLG09043906	Cellulose-Extraction thimbles Grade 603, Int. diam. 44 mm, Length 230 mm, Wall thickness 2.0 mm	25 pz.





CARLO ERBA Reagents S.A.S.
Chaussée du Vexin – 27106 Val
de Reuil cedex
N° TVA: FR 63391048824
Tél : +33 (0)2 32 09 20 00
www.carloerbareagents.com



CARLO ERBA
*Reagents operates with
a Certified Quality
Management System*

