



**Cellulose-Extraction thimbles Grade 603**

**Whatman**

**Cellulose-Extraction thimbles Grade 603**

Manufactured in pure cellulose according to DIN 12449.



| Code        | Description                                                                                     | Packaging |
|-------------|-------------------------------------------------------------------------------------------------|-----------|
| LLG09043901 | Cellulose-Extraction thimbles Grade 603, Int. diam. 22 mm, Length 80 mm, Wall thickness 1.5 mm  | 25 pz.    |
| LLG09043902 | Cellulose-Extraction thimbles Grade 603, Int. diam. 25 mm, Length 100 mm, Wall thickness 1.5 mm | 25 pz.    |
| LLG09043909 | Cellulose-Extraction thimbles Grade 603, Int. diam. 25 mm, Length 80 mm, Wall thickness 1.5 mm  | 25 pz.    |
| LLG09043910 | Cellulose-Extraction thimbles Grade 603, Int. diam. 26 mm, Length 60 mm, Wall thickness 1.5 mm  | 25 pz.    |
| LLG09043912 | Cellulose-Extraction thimbles Grade 603, Int. diam. 28 mm, Length 60 mm, Wall thickness 1.5 mm  |           |
| LLG09043921 | Cellulose-Extraction thimbles Grade 603, Int. diam. 31 mm, Length 80 mm, Wall thickness 1.0 mm  |           |
| LLG09043903 | Cellulose-Extraction thimbles Grade 603, Int. diam. 33 mm, Length 94 mm, Wall thickness 1.5 mm  | 25 pz.    |
| LLG09043904 | Cellulose-Extraction thimbles Grade 603, Int. diam. 33 mm, Length 118 mm, Wall thickness 1.5 mm | 25 pz.    |
| LLG09043907 | Cellulose-Extraction thimbles Grade 603, Int. diam. 33 mm, Length 80 mm, Wall thickness 1.5 mm  | 25 pz.    |
| LLG09043911 | Cellulose-Extraction thimbles Grade 603, Int. diam. 33 mm, Length 90 mm, Wall thickness 1.5 mm  | 25 pz.    |
| LLG09043913 | Cellulose-Extraction thimbles Grade 603, Int. diam. 33 mm, Length 60 mm, Wall thickness 1.5 mm  | 25 pz.    |
| LLG09043916 | Cellulose-Extraction thimbles Grade 603, Int. diam. 33 mm, Length 100 mm, Wall thickness 1.5 mm | 25 pz.    |
| LLG09043917 | Cellulose-Extraction thimbles Grade 603, Int. diam. 33 mm, Length 130 mm, Wall thickness 1.5 mm | 25 pz.    |
| LLG09043905 | Cellulose-Extraction thimbles Grade 603, Int. diam. 33 mm, Length 205 mm, Wall thickness 1.5 mm | 25 pz.    |
| LLG09043915 | Cellulose-Extraction thimbles Grade 603, Int. diam. 35 mm, Length 150 mm, Wall thickness 1.5 mm | 25 pz.    |
| LLG09043918 | Cellulose-Extraction thimbles Grade 603, Int. diam. 40 mm, Length 85 mm, Wall thickness 2.0 mm  | 25 pz.    |
| LLG09043950 | Cellulose-Extraction thimbles Grade 603, Int. diam. 43 mm, Length 123 mm, Wall thickness 2.0 mm | 25 pz.    |
| LLG09043906 | Cellulose-Extraction thimbles Grade 603, Int. diam. 44 mm, Length 230 mm, Wall thickness 2.0 mm | 25 pz.    |





CARLO ERBA Reagents S.A.S.  
Chaussée du Vexin – 27106 Val  
de Reuil cedex  
N° TVA: FR 63391048824  
Tél : +33 (0)2 32 09 20 00  
[www.carloerbareagents.com](http://www.carloerbareagents.com)



**CARLO ERBA**  
*Reagents operates with  
a Certified Quality  
Management System*

