



## Hotplate Ceran

### Hotplate Ceran®

Housing made of stainless steel, brushed and polished, in a unique Softline Design, Schott Ceran® cooking surface. Adjustable power control with power-saving or power control in 9 steps (TC = *Touch Control*). Two-circle HiLight technique, thus extra large heating zone (dia. 210 mm) can be activated. Thermal shutdown and automatic cooking system. Residual heat indicator and warning light. Temperature range (empty): 0 to approx. 460°C. Power supply 230 V.



| Code        | Description   | Packaging |
|-------------|---|-----------|
| LLG06261651 | Hotplate Ceran®, Type CT 3400/E, dim. (W x D x H) 550 x 310 x 65 mm, Hotplate Ø 140/210, Ø 145 mm, Heating capacity 1000/2200, 1200 W | 1 pz.     |
| LLG09645510 | Hotplate Ceran®, Type CT 2200/E, dim. (W x D x H) 305 x 410 x 75 mm, Hotplate Ø 140/210 mm, Heating capacity 1000/2200 W              | 1 pz      |
| LLG09645511 | Hotplate Ceran®, Type CT 2203/TC, dim. (W x D x H) 305 x 410 x 75 mm, Hotplate Ø 140/210 mm, Heating capacity 1000/2200 W             | 1 pz.     |



**CARLO ERBA Reagents S.A.S.**  
 Chaussée du Vexin – 27106 Val  
 de Reuil cedex  
 N° TVA: FR 63391048824  
 Tél : +33 (0)2 32 09 20 00  
[www.carloerbareagents.com](http://www.carloerbareagents.com)



**CARLO ERBA**  
*Reagents operates with  
 a Certified Quality  
 Management System*

