



## Precision ground thermometer, enclosed-scale type

### Precision ground thermometer, enclosed-scale type

Acc. to DIN 12784, with standard ground joint. Enclosed-scale type, capillary: **transparent prismatic**, diam. top: 11 mm ( $\pm 0.5$  mm), suitable for calibration.



| Code        | Description                                       | Packaging |
|-------------|---------------------------------------------------|-----------|
| LLG09236601 | Precision ground thermometer, enclosed-scale type | 1 pz.     |
| LLG09236605 | Precision ground thermometer, enclosed-scale type | 1 pz.     |
| LLG09236602 | Precision ground thermometer, enclosed-scale type | 1 pz.     |
| LLG09236606 | Precision ground thermometer, enclosed-scale type | 1 pz.     |
| LLG09236610 | Precision ground thermometer, enclosed-scale type | 1 pz.     |
| LLG09236603 | Precision ground thermometer, enclosed-scale type | 1 pz.     |
| LLG09236607 | Precision ground thermometer, enclosed-scale type | 1 pz.     |
| LLG09236611 | Precision ground thermometer, enclosed-scale type | 1 pz.     |
| LLG09236608 | Precision ground thermometer, enclosed-scale type | 1 pz.     |
| LLG09236613 | Precision ground thermometer, enclosed-scale type | 1 pz.     |
| LLG09236614 | Precision ground thermometer, enclosed-scale type | 1 pz.     |
| LLG09236604 | Precision ground thermometer, enclosed-scale type | 1 pz.     |
| LLG09236612 | Precision ground thermometer, enclosed-scale type | 1 pz.     |



**CARLO ERBA Reagents S.A.S.**  
 Chaussée du Vexin – 27106 Val  
 de Reuil cedex  
 N° TVA: FR 63391048824  
 Tél : +33 (0)2 32 09 20 00  
[www.carloerbareagents.com](http://www.carloerbareagents.com)



**CARLO ERBA**  
*Reagents operates with  
 a Certified Quality  
 Management System*



