



## Acide acétique glacial

Synonyms:

CH <sub>3</sub> COOH	Classification	Danger
Molecular weight	60.05 ONU	2789  
CAS	64-19-7 Transport hazard class:	8
EEC-N:	200-580-7 Packing	II

Acide acétique glacial > RS - Superpur- Pour analyse de traces

Grade Spécifique

Assay (CH <sub>3</sub> COOH)	>= 99	% (w/w)
Colour	<= 10	APHA
Chloride	<= 1	ppm
Phosphate	<= 1	ppm
Sulfate	<= 0.5	ppm
Substances Reducing Dichromate (K <sub>2</sub> Cr <sub>2</sub> O <sub>7</sub> )	To Pass Test	-



Subs. reducing KMnO4	To Pass Test	
Al	$\leq 1$	ppb
Sb	$\leq 0.5$	ppb
As	$\leq 0.5$	ppb
Ba	$\leq 0.5$	ppb
Be	$\leq 0.1$	ppb
Bi	$\leq 0.1$	ppb
Cd	$\leq 0.5$	ppb
Ca	$\leq 1$	ppb
Ce	$\leq 0.1$	ppb
Cs	$\leq 0.1$	ppb
Cr	$\leq 1$	ppb
Co	$\leq 0.1$	ppb
Cu	$\leq 0.5$	ppb
Dy	$\leq 0.1$	ppb
Er	$\leq 0.1$	ppb
Eu	$\leq 0.1$	ppb
Gd	$\leq 0.1$	ppb
Ga	$\leq 0.1$	ppb
Ge	$\leq 0.5$	ppb



Hf	$\leq 0.1$	ppb
Ho	$\leq 0.1$	ppb
In	$\leq 0.1$	ppb
Fe	$\leq 1$	ppb
La	$\leq 0.1$	ppb
Pb	$\leq 0.1$	ppb
Li	$\leq 0.1$	ppb
Lu	$\leq 0.1$	ppb
Mg	$\leq 0.5$	ppb
Mn	$\leq 0.5$	ppb
Hg	$\leq 1$	ppb
Mo	$\leq 0.5$	ppb
Nd	$\leq 0.1$	ppb
Ni	$\leq 0.5$	ppb
Pt	$\leq 0.5$	ppb
K	$\leq 1$	ppb
Pr	$\leq 0.1$	ppb
Re	$\leq 0.1$	ppb
Rh	$\leq 0.5$	ppb
Rb	$\leq 0.1$	ppb



Ru	$\leq 0.5$	ppb
Sm	$\leq 0.1$	ppb
Sc	$\leq 0.1$	ppb
Se	$\leq 1$	ppb
Ag	$\leq 1$	ppb
Na	$\leq 1$	ppb
Sr	$\leq 0.5$	ppb
Te	$\leq 0.5$	ppb
Tb	$\leq 0.1$	ppb
Tl	$\leq 0.1$	ppb
Th	$\leq 0.1$	ppb
Tm	$\leq 0.1$	ppb
Sn	$\leq 0.5$	ppb
Ti	$\leq 0.5$	ppb
W	$\leq 0.5$	ppb
U	$\leq 0.1$	ppb
V	$\leq 0.5$	ppb
Yb	$\leq 0.1$	ppb
Y	$\leq 0.1$	ppb
Zn	$\leq 1$	ppb



Acide acétique glacial

> RS - Superpur- Pour analyse de traces

Grade Spécifique

Zr	<= 0.1	ppb
----	--------	-----

ID	Size	Packaging
000000000000401405	500 ml	Flacon plastique
000000000000401406	1 l	Flacon plastique
000000000000401407	2.5 l	Flacon plastique



CARLO ERBA Reagents S.A.S.  
Chaussée du Vexin – 27106 Val de  
Reuil cedex  
N° TVA: FR 63391048824  
Tél : +33 (0)2 32 09 20 00  
[www.carloerbareagents.com](http://www.carloerbareagents.com)



*CARLO ERBA Reagents  
operates with a Certified  
Quality Management  
System*