



Ammoniaque solution 30%

Synonyms:

Classification

Danger

Molecular weight **35.046** ONU

2672  

CAS **1336-21-6** Transport hazard class:

8 

EEC-N: **215-647-6** Packing

III

Ammoniaque solution 30% > **RS - RSE - Pour usage électronique**

Grade Specificque

Description	Clear liquid	-
Colour	<= 10	APHA
Identification	Positive	-
Density d20/4	0.892 - 0.910	-
Carbonate	<= 5	ppm
Chloride	<= 0.25	ppm



**Ammoniaque solution
30%****> RS - RSE - Pour usage électronique****Grade Spécifique**

Phosphate	≤ 0.2	ppm
Heavy metals (as Pb)	≤ 0.2	ppm
Residue on ignition	≤ 3	ppm
Subs. reducing KMnO ₄	≤ 5	ppm
Total sulphur (S)	≤ 1	ppm
Assay (alcalimetric)	28 - 32	%
Ag	≤ 0.02	ppm
Al	≤ 0.05	ppm
As	≤ 0.025	ppm
Au	≤ 0.05	ppm
B	≤ 0.01	ppm
Ba	≤ 0.1	ppm
Be	≤ 0.02	ppm
Bi	≤ 0.02	ppm
Ca	≤ 0.2	ppm
Cd	≤ 0.01	ppm
Co	≤ 0.01	ppm
Cr	≤ 0.01	ppm
Cu	≤ 0.01	ppm
Fe	≤ 0.03	ppm



**Ammoniaque solution
30%**

> RS - RSE - Pour usage électronique

Grade Specific

Ga	≤ 0.02	ppm
In	≤ 0.02	ppm
K	≤ 0.2	ppm
Li	≤ 0.02	ppm
Mg	≤ 0.1	ppm
Mn	≤ 0.01	ppm
Mo	≤ 0.05	ppm
Na	≤ 0.5	ppm
Ni	≤ 0.01	ppm
Pb	≤ 0.01	ppm
Pt	≤ 0.05	ppm
Sb	≤ 0.05	ppm
Sn	≤ 0.02	ppm
Sr	≤ 0.02	ppm
Ta	≤ 0.1	ppm
Ti	≤ 0.05	ppm
Tl	≤ 0.05	ppm
V	≤ 0.05	ppm
Zn	≤ 0.05	ppm
Zr	≤ 0.05	ppm



Ammoniaque solution
30%

> **RS - RSE - Pour usage électronique**

Grade Specific

ID	Size	Packaging
000000000000420071	1 l	Flacon plastique
000000000000420073	2 l	Flacon verre
000000000000420075	25 kg	Fût composite métal / plastique



CARLO ERBA Reagents S.A.S.
Chaussée du Vexin – 27106 Val de
Reuil cedex
N° TVA: FR 63391048824
Tél : +33 (0)2 32 09 20 00
www.carloerbareagents.com



*CARLO ERBA Reagents
operates with a Certified
Quality Management
System*