



## Ammoniaque solution 25%

Synonyms:

### Classification

### Danger

Molecular weight **35.046** ONU

**2672**  

CAS **1336-21-6** Transport hazard class:

**8** 

EEC-N: **215-647-6** Packing

**III**

**Ammoniaque solution 25%** > **RS - RSE - Pour usage électronique**

**Grade Specificque**

Description	Clear liquid	-
Colour	<= 10	APHA
Identification	Positive	-
Density d20/4	0.904 - 0.910	-
Carbonate	<= 5	ppm
Chloride	<= 0.25	ppm



**Ammoniaque solution  
25%****> RS - RSE - Pour usage électronique****Grade Spécifique**

Phosphate	$\leq 0.2$	ppm
Heavy metals (as Pb)	$\leq 0.2$	ppm
Residue on ignition	$\leq 3$	ppm
Subs. reducing KMnO <sub>4</sub>	$\leq 5$	ppm
Total sulphur (S)	$\leq 1$	ppm
Ag	$\leq 0.02$	ppm
Al	$\leq 0.05$	ppm
As	$\leq 0.025$	ppm
Au	$\leq 0.05$	ppm
B	$\leq 0.01$	ppm
Ba	$\leq 0.1$	ppm
Be	$\leq 0.02$	ppm
Bi	$\leq 0.02$	ppm
Ca	$\leq 0.2$	ppm
Cd	$\leq 0.01$	ppm
Co	$\leq 0.01$	ppm
Cr	$\leq 0.01$	ppm
Cu	$\leq 0.01$	ppm
Fe	$\leq 0.03$	ppm
Ga	$\leq 0.02$	ppm



**Ammoniaque solution  
25%****> RS - RSE - Pour usage électronique****Grade Spécifique**

In	<= 0.02	ppm
K	<= 0.2	ppm
Li	<= 0.02	ppm
Mg	<= 0.1	ppm
Mn	<= 0.01	ppm
Mo	<= 0.05	ppm
Na	<= 0.5	ppm
Ni	<= 0.01	ppm
Pb	<= 0.01	ppm
Pt	<= 0.05	ppm
Sb	<= 0.05	ppm
Sn	<= 0.02	ppm
Sr	<= 0.02	ppm
Ta	<= 0.1	ppm
Ti	<= 0.05	ppm
Tl	<= 0.05	ppm
V	<= 0.05	ppm
Zn	<= 0.05	ppm
Zr	<= 0.05	ppm
Assay (alcalimetric)	24.0 - 26.0	%



**Ammoniaque solution**  
**25%**

> **RS - RSE - Pour usage électronique**

**Grade Specific**

<b>ID</b>	<b>Size</b>	<b>Packaging</b>
000000000000420081	1 l	Flacon plastique
000000000000420085	5 l	Flacon plastique



**CARLO ERBA Reagents S.A.S.**  
Chaussée du Vexin – 27106 Val de  
Reuil cedex  
N° TVA: FR 63391048824  
Tél : +33 (0)2 32 09 20 00  
[www.carloerbareagents.com](http://www.carloerbareagents.com)



*CARLO ERBA Reagents  
operates with a Certified  
Quality Management  
System*